

Beam Width/Engine	8.5' WIDE SINGLE-ENGINE											
Line							RX SPORT			R BOWRIDER (RT)		
	21	22	23	24	25	28	23	24	25	22	24	25
Boat Length* (No Engine)	23'	24' 9"	25' 9"	26' 9"	27' 9"	30' 9"	25' 9"	26' 9"	27' 9"	24' 9"	26' 9"	27' 9"
Pontoon Length	21' 4"	22' 4"	23' 4"	24' 4"	25' 4"	28' 4"	23' 4"	24' 4"	25' 4"	22' 4"	23' 4"	23' 4"
Beam	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"
Pontoon Diameter	2 x 25"	2 x 25"	2 x 25"	2 x 25"	2 x 25"	2 x 25"	2 x 25"	2 x 25"	2 x 25"	2 x 23" + V-HULL CENTER		
Pontoon Gauge	0.080	0.080	0.080	0.100	0.100	0.100	0.080	0.100	0.100	.100 & .125		
25" TUBES						25" TUBES			25" TUBES			
Capacity (persons)	10	10-12	9-12	12-13	11-14	15	9-12	12-13	11-14	12	14-15	14
Boat Weight (no engine)	2256-2735	2715-3133	2407-3675	2436-2815	2572-3916	3345-3916	2407-3675	2436-2815	2572-3916	3520-3835	3753-4068	3753-4068
Max HP	115 hp	150 hp	150 hp	150 hp	150 hp	150 hp	150 hp	150 hp	150 hp	250 hp	300 hp	300 hp
32" TWIN ELLIPTICAL						32" TWIN ELLIPTICAL						
Capacity (persons)	12	12	12	12-15	12-15	15	12	12-15	12-15			
Boat Weight (no engine)	2256-2735	2525-3142	3415-3725	2511-2890	3022-3491	3345-3916	3415-3725	2511-2890	3022-3491			
Max HP	150 hp	150 - 200 hp	150 - 200 hp	200 hp	150 - 200 hp	150 hp	150-200 hp	200 hp	150-200 hp			
EXPRESS PERFORMANCE						EXPRESS PERFORMANCE						
Capacity (persons)	12	10-12	9-12	12-13	11-14	15	9-12	12-13	11-14			
Boat Weight (no engine)	2456-2893	2554-2919	2407-3675	2436-2815	2572-3916	3345-3916	2407-3675	2436-2815	2572-3916			
Max HP	150 hp	150 hp	150 hp	150 hp	150 hp	150 hp	150 hp	150 hp	150 hp			
SPS**						SPS**						
Capacity (persons)	11-12	11-12	12	12-15	12-14	N/A	12	12-15	12-14			
Boat Weight (no engine)	2491-2928	3064-3429	2968-3934	2786-3550*	3289-4227	N/A	2968-3934	2786-3550*	3289-4227			
Max HP	200 hp	200 hp	200 hp	200 hp	200 hp	N/A	200 hp	200 hp	200 hp			
SPS+						SPS+						
Capacity (persons)	N/A	13-17	13-17	13-17	13-17	N/A	12	12-14	12-13			
Boat Weight (no engine)	N/A	4700-5100 + engine	4700-5100 + engine	4700-5100 + engine	4700-5100 + engine	N/A	2968-3934	2786-3550	3289-4227			
Max HP	N/A	430 hp	430 hp	430 hp	430 hp	N/A	250 hp	250 hp	250 hp			
ESP**						ESP**						
Capacity (persons)	11-13	11-13	12-14	12-15	13-17	13-17	12-14	12-15	12-15			
Boat Weight (no engine)	2531-3035	3120-3600	3828-4233	2836-4068	4700-5100 + engine	4700-5100 + engine	3828-4233	2836-4068	5184-5249			
Max HP	200 hp	250 hp	300-350 hp	300-400 hp	430 hp	430 hp	300-350 hp	300-400 hp	450 hp			
I/O						I/O						
Capacity (persons)					14-17	15						
Boat Weight (no engine)					4591-5183 + engine	4344-4828 + engine						
Max HP					430 hp	430 hp						

8.5' WIDE SINGLE-ENGINE

+ - 🔍 ⏪ ⏩

👤 L BOWRIDER (LT)

Line	LX / L										L BOWRIDER (LT)	
	18	19	20	21	22	23	24	25	26'	23	25	
Boat Length* (No Engine)	18' 10"	19' 10"	21'	22' 9"	23' 9"	24' 9"	25' 9"	26' 9"	27' 9"	25' 9"	26' 9"	
Pontoon Length	17' 4"	18' 4"	19' 4"	20' 4"	21' 4"	22' 4"	23' 4"	24' 4"	25' 4"	23' 4"	24' 4"	
Beam	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"	
Pontoon Diameter	2 x 23"	2 x 23"	2 x 25"	2 x 25"	2 x 25"	2 x 25"	2 x 25"	2 x 25"	2 x 25"	2 x 23" + V-HULL CENTER	2 x 23" + V-HULL CENTER	
Pontoon Gauge	0.080	0.080	0.080	0.080	0.080	0.080	0.100	0.100	0.100	.100 & .125	.100 & .125	
23" TUBES										BOWRIDER V-HULL		
Capacity (persons)	7	7	8	N/A	N/A	N/A	N/A	N/A	N/A	12	15	
Boat Weight (no engine)	1663-1986	1888-2209	1723-2104	N/A	N/A	N/A	N/A	N/A	N/A	3520-3835	3753-4068	
Max HP	60 hp	60 hp	70 hp	N/A	N/A	N/A	N/A	N/A	N/A	250 hp	300 hp	
25" TUBES												
Capacity (persons)	N/A	9	10	10	10	10-12	9-12	12-13	11-14			
Boat Weight (no engine)	N/A	1888-2209	1761-2134	2031-2253	2256-2735	2715-3133	2407-3675	2436-2815	2572-3916			
Max HP	N/A	70 hp	90 hp	115 hp	115 hp	150 hp	150 hp	150 hp	150 hp			
32" TWIN ELLIPTICAL												
Capacity (persons)	N/A	N/A	N/A	11	12	11-12	12	12-15	13-14			
Boat Weight (no engine)	N/A	N/A	N/A	2205-2632	2256-2735	2525-3142	3415-3725	2511-2890	3022-3916'			
Max HP	N/A	N/A	N/A	150 hp	150 hp	150-200 hp	150-200 hp	200 hp	200 hp			
EXPRESS PERFORMANCE												
Capacity (persons)	N/A	N/A	N/A	12	12	10-12	9-12	12-13	N/A			
Boat Weight (no engine)	N/A	N/A	N/A	2186-2389	2456-2892	2554-2919	2407-3675	2436-2815	N/A			
Max HP	N/A	N/A	N/A	115 hp	150 hp	150 hp	150 hp	150 hp	N/A			
SPS-23**			SPS**									
Capacity (persons)	N/A	9	11	12	11-12	11-12	12	12-15	12-14			
Boat Weight (no engine)	N/A	2109-2252	2046-2365	2504-2737	2491-2928	3064-3429	2968-3934	2786-3550	3289-4227			
Max HP	N/A	115 hp	140 hp	150 hp	200 hp	200 hp	200 hp	200 hp	200 hp			
SPS+**												
Capacity (persons)	N/A	N/A	N/A	N/A	N/A	11-12	12	12-14	12-13			
Boat Weight (no engine)	N/A	N/A	N/A	N/A	N/A	3064-3429	2968-3934	2786-3550 (Top Deck 3961-4204)	3298-4277			
Max HP	N/A	N/A	N/A	N/A	N/A	250 hp	250 hp	250 hp	250 hp			
ESP**												
Capacity (persons)	N/A	N/A	N/A	11	11-13	11-13	12-14	12-15	12-15			
Boat Weight (no engine)	N/A	N/A	N/A	2604-2944	2531-3035	3120-3600	3828-4233	2836-4068	4154-4561			
Max HP	N/A	N/A	N/A	150 hp	200 hp	250 hp	300-350 hp	400 hp	450 hp			

Beam Width/Engine	8.5" WIDE & 8" NARROW-BEAM SINGLE-ENGINE								
Line	SX / S / SV								
	16	18	19	20	21	22	23	24	25
Boat Length* (No Engine)	17' 5"	18' 10"	19' 10"	21'	22' 9"	23'	24' 9"	25' 9"	26' 9"
Pontoon Length	16' 4"	17' 4"	18' 4"	19' 4"	20' 4"	21' 4"	22' 4"	23' 4"	24' 4"
Beam	8' or 8' 6"	8' or 8' 6"	8' or 8' 6"	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"	8' 6"
Pontoon Diameter	2 x 23"	2 x 23"	2 x 23"	2 x 25"	2 x 25"	2 x 25"	2 x 25"	2 x 25"	2 x 25"
Pontoon Gauge	0.080	0.080	0.080	0.080	0.080	0.080	0.080	0.100	0.100
23" TUBES									
Capacity (persons)	7	7	7	8	N/A	N/A	N/A	N/A	N/A
Boat Weight (no engine)	1488-1752	1663-1986	1888-2209	1723-2104	N/A	N/A	N/A	N/A	N/A
Max HP	40 hp	60 hp	60 hp	70 hp	N/A	N/A	N/A	N/A	N/A
25" TUBES									
Capacity (persons)	N/A	N/A	9	10	10	10	10-12	9-12	12-13
Boat Weight (no engine)	N/A	N/A	1888-2209	1761-2134	2031-2253	2256-2735	2715-3133	2407-3675	2436-2815
Max HP	N/A	N/A	70 hp	90 hp	115 hp	115 hp	150 hp	150 hp	150 hp
32" TWIN ELLIPTICAL									
Capacity (persons)	N/A	N/A	N/A	N/A	11	12	11-12	12	12-15
Boat Weight (no engine)	N/A	N/A	N/A	N/A	2205-2632	2256-2735	2525-3142	3415-3725	2511-2890
Max HP	N/A	N/A	N/A	N/A	150 hp	150 hp	150-200 hp	150-200 hp	200 hp
EXPRESS PERFORMANCE									
Capacity (persons)	N/A	N/A	N/A	N/A	12	12	10-12	9-12	12-13
Boat Weight (no engine)	N/A	N/A	N/A	N/A	2186-2389	2456-2892	2554-2919	2407-3675	2436-2815
Max HP	N/A	N/A	N/A	N/A	115 hp	150 hp	150 hp	150 hp	150 hp
SPS-23**				SPS**					
Capacity (persons)	7	N/A	9	11	12	11-12	11-12	12	12-15
Boat Weight (no engine)	1951-2095	N/A	2108-2252	2046-2365	2504-2737	2491-2928	3064-3429	2968-3934	2786-3550*
Max HP	90 hp	N/A	115 hp	140 hp	150 hp	200 hp	200 hp	200 hp	200 hp
SPS+ [†]									
Capacity (persons)	N/A	N/A	N/A	N/A	N/A	N/A	11-12	12	12-14
Boat Weight (no engine)	N/A	N/A	N/A	N/A	N/A	N/A	3064-3429	2968-3934	2786-3550 (Top Deck 3961-4204)
Max HP	N/A	N/A	N/A	N/A	N/A	N/A	250 hp	250 hp	250 hp
ESP**									
Capacity (persons)	N/A	N/A	N/A	N/A	11	11-13	11-13	12-14	12-15
Boat Weight (no engine)	N/A	N/A	N/A	N/A	2604-2944	2531-3035	3120-3600	3828-4233	2836-4068
Max HP	N/A	N/A	N/A	N/A	150 hp	200 hp	250 hp	300-350 hp	300-400 hp